

Research Supporting the Importance of DHA & ARA in Infant Development

1. Martinez M. Tissue levels of polyunsaturated fatty acids during early human development. *Pediatr*, 1992. 120:S129-38.
2. Lauritzen L, et al. The essentiality of long chain n-3 fatty acids in relation to development and function of the brain and retina. *Prog Lipid Res*, 2001. 40:1-94.
3. Salem, Jr. N, et al. Mechanisms of action of docosahexaenoic acid in the nervous system. *Lipids*, 2001. 36:945-59.
4. Hoffman, DR, et al. Effects of supplementation with omega 3 long-chain polyunsaturated fatty acids on retinal and cortical development in premature infants. *Am J Clin Nutr*, 1993. 57(5 suppl): 807S-812S.
5. Crawford MA. The role of essential fatty acids in neural development: implications for perinatal nutrition. *Am J Clin Nutr*, 1993. 57:703S-709S.
6. Dutta-Roy AK. Transport mechanisms for long-chain polyunsaturated fatty acids in the human placenta. *Am J Clin Nutr*, 2000. 71:315S-22S.
7. Clandinin MT, et al. Intrauterine fatty acid accretion rates in human brain: implications for fatty acid requirements. *Early Hum Dev*, 1980. 4:121-9.
8. Putnam J, et al. The effect of variations in dietary fatty acids on the fatty acid composition of erythrocyte phosphatidylcholine and phosphatidylethanolamine in human infants. *Am J Clin Nutr*, 1982. 36:106-114.
9. Makrides M, et al. Are long-chain polyunsaturated fatty acids essential nutrients in infancy? *Lancet*, 1995. 345 (8963):1463-8.
10. Carlson SE, et al. Visual acuity and fatty acid status of term infants fed human milk and formulas with or without docosahexaenoate and arachidonic acid from egg yolk lecithin. *Pediatr Res*, 1996. 39(5):882-8.
11. Innis SM, et al. Blood lipid docosahexaenoic and arachidonic acid in term gestation infants fed formulas with high docosahexaenoic acid, low eicosapentaenoic acid fish oil. *Lipids*, 1996. 31(6):617-25.
12. Kohn G, et al. Diet and essential fatty acid status of term infants. *Acta Paediatr Suppl*, 1994. 402:69-74.
13. Horby Jorgensen M, et al. Effect of formula supplemented with docosahexaenoic acid and gamma-linolenic acid on fatty acid status and visual acuity in term infants. *J Pediatr Gastroenterol Nutr*, 1998. 26(4):412-21.
14. Makrides M, et al. Fatty acid composition of brain, retina, and erythrocytes in breast-fed and formula-fed infants. *Am J Clin Nutr*, 1994. 60(2):189-94.
15. Agostoni C, et al. Neurodevelopmental quotient of healthy term infants at 4 months and feeding practice: the role of long-chain polyunsaturated fatty acids. *Pediatr Res*, 1995. 38(2):262-6.
16. Decsi T, et al. Growth, fatty acid composition of plasma lipid classes, and plasma retinol and alpha-tocopherol concentration in full-term infants fed formula enriched with omega-6 and omega-3 long-chain polyunsaturated fatty acids. *Acta Paediatr*, 1995. 84(7):725-32.

17. Horwood LJ, et al. Breastfeeding and later cognitive and academic outcomes. *Pediatr*, 1998. 101:e9.
18. Simopoulos AP, et al. Workshop on the essentiality of and recommended dietary intakes for omega-6 and omega-3 fatty acids. *J Am Coll Nutr*, 1999. 18(5): 487-489.
19. Fats and Oils in Human Nutrition. Report of a joint expert consultation. 1994. WHO/FAO: Rome. 49-55.
20. Koletzko B, et al. Long chain polyunsaturated fatty acids (LC-PUFA) and perinatal development. *Acta Paediatr*, 2001. 90(4):460-4.
21. Birch EE, et al. A randomized controlled trial of early dietary supply of long-chain polyunsaturated fatty acids and mental development in term infants. *Dev Med Child Neurol*, 2000. 42(3):174-81.
22. Willatts P, et al. Effect of long-chain polyunsaturated fatty acids in infant formula on problem solving at 10 months of age. *Lancet*, 1998. 352(9129):688-91.
23. Hoffman DR, et al. Visual function in breast-fed term infants weaned to formula with or without long-chain polyunsaturates at 4 to 6 months: a randomized clinical trial. *J of Pediatr*, 2003. 142 (6): 669-677.
24. Birch EE, et al. A randomized controlled trial of long-chain polyunsaturated fatty acid supplementation of formula in term infants after weaning at 6 weeks of age. *Am J Clin Nutr*, 2002. 75:570-80.
25. Birch EE, et al. Visual acuity and the essentiality of docosahexaenoic acid and arachidonic acid in the diet of term infants. *Pediatr Res*, 1998. 44(2):201-9.
26. Birch EE, et al. Visual maturation of term infants fed long-chain polyunsaturated fatty acid-supplemented or control formula for 12 mo. *Am J Clin Nutr*, 2005. 81:871-9.
27. Morale SE, et al. Duration of long-chain polyunsaturated fatty acids availability in the diet and visual acuity. *Early Human Development*, 2005. 81(2):197-203.
28. Forsyth JS, et al. Long chain polyunsaturated fatty acid supplementation in infant formula and blood pressure in later childhood: follow up of a randomised controlled trial. *BMJ*, 2003. 326(7396):953.

Research Supporting the Importance of DHA for Pre-term and Near-term Infants

1. Crawford, M. Placental delivery of arachidonic and docosahexaenoic acids: implications for the lipid nutrition of preterm infants. *Am J Clin Nutr*, 2000. 71(1 Suppl):275S-84S.
2. Hack M, and Taylor HG. Perinatal brain injury in preterm infants and later neurological function. *JAMA*, 2000. 284(15):1973-1974.
3. Phylactos AC, et al. Erythrocyte cupric/zinc superoxide dismutase exhibits reduced activity in preterm and low-birthweight infants at birth. *Acta Paediatr*, 1995. 84(12):1421-5.
4. Diersen-Schade DA, et al. Docosahexaenoic acid plus arachidonic acid enhance preterm infant growth, in Essential Fatty Acids and Eicosanoids: Invited Papers from the Fourth

International Congress, E.A. Riemersma, et al., Editors. 1998. AOCS Press:Champaign, IL. 123-127.

5. O'Connor DL, et al. Growth and development in preterm infants fed long-chain polyunsaturated fatty acids: A Prospective, Randomized Controlled Trial. *Pediatrics*, 2001. 108(2):359-371.
6. Vanderhoof J, et al. Evaluation of a long-chain polyunsaturated fatty acid supplemented formula on growth, tolerance, and plasma lipids in preterm infants up to 48 weeks postconceptual age. *J Pediatr Gastroenterol*, 1999. 29:318-26.
7. Vanderhoof J, et al. A multicenter long-term safety and efficacy trial of preterm formula supplemented with long-chain polyunsaturated fatty acids. Multicenter Study Group. *J Pediatr Gastroenterol Nutr*, 2000. 31(2):121-7.